



US 20080319184A1

(19) United States

(12) Patent Application Publication

Miller et al.

(10) Pub. No.: US 2008/0319184 A1

(43) Pub. Date: Dec. 25, 2008

## (54) USES OF DINUCLEOTIDE POLYPHOSPHATE DERIVATIVES

(76) Inventors: Andrew David Miller, London (GB); Michael Wright, London (GB); Julian Alexander Tanner, Hong Kong (HK); Natalya Lozovaya, London (GB)

Correspondence Address:  
SUZANNAH K. SUNDBY  
SMITH, GAMBRELL & RUSSEL, LLP  
1130 Connecticut Avenue, NW, Suite 1130  
WASHINGTON, DC 20036 (US)

(21) Appl. No.: 11/883,661

(22) PCT Filed: Feb. 1, 2006

(86) PCT No.: PCT/GB06/00343

§ 371 (c)(1),  
(2), (4) Date: Aug. 27, 2008

## (30) Foreign Application Priority Data

Feb. 3, 2005 (GB) ..... 0502250.4


## Publication Classification

(51) Int. Cl.  
C07H 21/02 (2006.01)

(52) U.S. Cl. ..... 536/26.26

## (57) ABSTRACT

The present invention provides the use of analogues and derivatives of dinucleoside polyphosphates with formula (I) or a pharmaceutically acceptable salt thereof, in the manufacture of a medicament for use in one or more of: the treatment of ischemia, inducing ischemic tolerance, modulating cerebral ischemia, to delay the onset of a hypoxic depolarisation stage when ischemic events are initiated; as a neurological protection agent; as a tissue protection agent; the treatment of pain; and the treatment of inflammation, wherein X<sup>1</sup> is selected from wherein X<sup>1</sup> and X<sup>2</sup> are independently selected from H, Cl, Br and F; each Y is independently selected from S and O; each Z is independently selected from —CX<sup>3</sup>X<sup>4</sup>—, —NH—, —O—; wherein X<sup>3</sup> and X<sup>4</sup> are selected from H, Cl, Br and F; B1 and B2 are independently selected from adenine, guanine, xanthine, thymine, uracil, cytosine and inosine; S<sub>1</sub> and S<sub>2</sub> are independently selected from ribose, open chain ribose, 2'-deoxyribose, 3'deoxyribose and arabinofuranoside. V is selected from 0, 1, 2, 3, 4 and 5; W is selected from 0, 1, 2, 3, 4 and 5; and V plus W is an integer from 2 to 6.






Figure 1




Figure 2




Figure 3




Figure 4




Figure 5 a




Figure 5 b





Figure 5 c