

Content-type: text/html

Mail form to: IADR, 1619 Duke Street, Alexandria, VA 22314-3406, USA

(FAX SUBMISSIONS WILL BE REFUSED.)

Type perfect original of abstract here:

Deadline for submission: January 5, 2001

F

<p>(1) <input type="checkbox"/> Special Scheduling (4) <input type="checkbox"/> Symposium/ICW</p> <p>(2) <input type="checkbox"/> Fellowship (5) <input type="checkbox"/> IADR Honor</p> <p>(3) <input type="checkbox"/> Print Problem (6) <input type="checkbox"/> INVLTR</p> <p>For Office Use Only:</p>	<p>Nanoleakage in single-step adhesives: what are we really testing? F.R.TAY¹, A.ITTHAGARUN¹, Y.F.MAK^{1*}, E.L.PASHLEY², D.H.PASHLEY² (¹University of Hong Kong, HKSAR, China, ²Medical College of Georgia, Augusta, USA)</p> <p>Conceptually, single-step adhesives that etch, prime and bond simultaneously should not exhibit areas of incomplete infiltration within dentin hybrid layers. As minerals are either partially retained or re-precipitated in the bonded interfaces, they may be solubilized and manifested as artifactual porosities after immersion in mildly acidic silver nitrate (AgNO₃). This study examined nanoleakage patterns of four single-step adhesives, Prompt L-Pop (PL; ESPE), Etch & Prime (EP; Degussa), One-Up Bond F (OU; Tokuyama) and Reactmer Bond (RB; Shofu) using conventional (C; pH 4.2) and ammonical (A; pH 9.5) 50 wt% AgNO₃. The latter was prepared by precipitation titration of ammonium nitrate with AgNO₃, and contains larger chelated ammonical silver ions. Flat dentin surfaces were bonded with the adhesives and a lining composite. 0.8 mm thick slabs were coated with nail varnish applied 1mm from the bonded interfaces, and immersed in C or A for 24 h. After developing, undemineralized, unstained, epoxy resin-embedded sections were prepared for transmission electron microscopy. Hybrid layers in PL, EP, OU and RB were 3-5, 2-3, 0.2-0.5 and 0.5-1 μm thick. Nanoleakage patterns of the adhesives were different in the two types of AgNO₃. All adhesives in C and A exhibited: a) dendritic silver deposits within the hybrid and adhesive layers and resin tags; b) fine, baseline reticular patterns within the mineralized intertubular dentin. PL-A, EP-A and OU-A contained additional fine silver granules throughout the hybrid and adhesive layers. In RB-A, silver was localized around the hydrogel layers of ion-leachable fillers in the adhesive. <u>It is hypothesized that nanoleakage in single-step adhesives represents areas of "under" polymerization that are caused by either incomplete water removal or lower degree of conversion of the acidic resin monomers. The latter probably also interacted with the basic AgNO₃.</u> (Supported by HKU CRCG grant 10203278 and grant DE06427 from NIDCR)</p>
--	---

1428

898

Presenter Information:

(Type or print legibly in black or blue ink.)

5. Area of Review (check only one):

- (1) Behavioral Sciences/Health Services Research
- (2) Behavioral Sciences/Epidemiological Methods

10. List five descriptors by number (see reverse side).

If existing descriptors do not fit your research, then write one new word under "Other", (1) 110

[Browse the technical program](#)

of the 79th General Session of the International Association for Dental Research (June 27-30, 2001)